



Cambridge International AS & A Level

CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--



MATHEMATICS

9709/11

Paper 1 Pure Mathematics 1

May/June 2023

1 hour 50 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [].

This document has **20** pages. Any blank pages are indicated.

- 2 (a) Find the first three terms in the expansion, in ascending powers of x , of $(2 + 3x)^4$. [2]

.....

.....

.....

.....

.....

.....

.....

- (b) Find the first three terms in the expansion, in ascending powers of x , of $(1 - 2x)^5$. [2]

.....

.....

.....

.....

.....

.....

.....

.....

- (c) Hence find the coefficient of x^2 in the expansion of $(2 + 3x)^4(1 - 2x)^5$. [2]

.....

.....

.....

.....

.....

.....

.....

6 The first three terms of an arithmetic progression are $\frac{p^2}{6}$, $2p - 6$ and p .

(a) Given that the common difference of the progression is not zero, find the value of p . [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Using this value, find the sum to infinity of the geometric progression with first two terms $\frac{p^2}{6}$ and $2p - 6$. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

7 A curve has equation $y = 2 + 3 \sin \frac{1}{2}x$ for $0 \leq x \leq 4\pi$.

(a) State greatest and least values of y . [2]


.....

.....

.....

.....

(b) Sketch the curve. [2]



(c) State the number of solutions of the equation

$$2 + 3 \sin \frac{1}{2}x = 5 - 2x$$

for $0 \leq x \leq 4\pi$. [1]

.....

.....

.....

.....

11 The equation of a curve is such that $\frac{dy}{dx} = 6x^2 - 30x + 6a$, where a is a positive constant. The curve has a stationary point at $(a, -15)$.

(a) Find the value of a . [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Determine the nature of this stationary point. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) Find the equation of the curve.

[3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(d) Find the coordinates of any other stationary points on the curve.

[2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....

.....

12



The diagram shows a circle P with centre $(0, 2)$ and radius 10 and the tangent to the circle at the point A with coordinates $(6, 10)$. It also shows a second circle Q with centre at the point where this tangent meets the y -axis and with radius $\frac{5}{2}\sqrt{5}$.

(a) Write down the equation of circle P . [1]

.....

.....

.....

(b) Find the equation of the tangent to the circle P at A . [2]

.....

.....

.....

.....

.....

.....

.....

- (c) Find the equation of circle Q and hence verify that the y -coordinates of both of the points of intersection of the two circles are 11. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (d) Find the coordinates of the points of intersection of the tangent and circle Q , giving the answers in surd form. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

